


CPF120IGMPBL

Cooker, 120x60 cm, Portofino, Black, Hob type: Mixed, Type of main oven: Thermo-ventilated, Type of second oven: Thermo-ventilated, Direct steam, A+, A




EASY CLEAN ENAMEL INTERIOR

The enamel finish of the oven cavity has a special antacid lining which helps to reduce the amount of dirt adhering to the surface.




DIRECT STEAM

The evaporation tray distributes steam inside the oven cavity, allowing you to create healthier dishes, minimise meat shrinkage and reduce cooking times.



CLOSED DOOR GRILLING

Closed door grilling allows you to grill with the door closed, keeping cooking smells inside the oven and out of the kitchen to ensure a safe cooking environment and reduced energy consumption.



TYPE

Product Family: Cooker • Cooker size: 120x60 cm • Hob energy type: Mixed • N. of ovens: 2 • Hob type: Mixed • Main oven type: Thermo-ventilated • Type of second oven: Thermo-ventilated • Steam technology: Direct steam • Cleaning system: Pyrolytic • EAN code: 8017709286064

AESTHETICS

Colour: Black • Aesthetics: Portofino • Design: Flush fit • Material: Enamelled • Door: With frame • Command panel finish: Enamelled metal • Hob colour: Stainless steel • Handle: Smeg Portofino • Controls colour: Stainless steel • Upstand: Yes • Display: Touch • Type of pan stands: Cast Iron • Glass type: Black • Handle Colour: Black • Control knobs: Smeg Portofino • No. of controls: 11 • Plinth: Black • Storage compartment: Drawer • Sliding compartment: Yes

PROGRAMS / FUNCTIONS

Traditional cooking functions: Static, Fan assisted, Circulaire, Turbo (circulaire + bottom + upper + fan), ECO, Small grill, Large grill, Fan grill (large), Fan assisted base • Cleaning functions: Pyrolytic

PROGRAMS / FUNCTIONS AUXILIARY OVEN

Cooking functions cavity 2: 8 • Traditional cooking functions, cavity 2: Static, Fan assisted, Circulaire, ECO, Large grill, Fan grill (large), Fan-assisted bottom • Cooking functions with Direct Steam technology: Termo-ventilato (Circolare + Ventola) • Cleaning functions cavity 2: Vapor Clean

HOB OPTIONS

Multizone Option: Yes • Limited Power Consumption Mode: Yes • Limited Power Consumption Mode in W: 2800, 3700 W

OPTIONS MAIN OVEN

Timer: Yes • End of cooking acoustic alarm: Yes • Minimum Temperature: 50 °C • Maximum temperature: 280 °C

OPTIONS AUXILIARY OVEN

Timer: Yes • End of cooking acoustic alarm: Yes • Minimum Temperature: 50 °C • Maximum temperature: 260 °C

HOB TECHNICAL FEATURES

Total no. of cook zones: 6 • 1st zone position: Left centre • 2nd zone position: Front centre • 3rd zone position: Rear centre • 4th zone position: Front right • 5th zone position: Rear right • 6th zone position: Central • 1st zone type: Gas - 2UR (dual) • 2nd zone type: Gas - Semi Rapid • 3rd zone type: Gas - Rapid • 4th zone type: Induction - multizone • 5th zone type: Induction - multizone • 6th zone type: Teppanyaki • 4th zone dimensions: 21.1x19.1 cm • 5th zone dimensions: 21.0x19.0 cm • 1st zone power: 4.20 kW • 2nd zone power: 1.80 kW • 3rd zone power: 3.00 kW • 4th zone power: 2.10 kW • 5th zone power: 1.60 kW • 6th zone power: 1.40 kW • 4th zone booster power: 2.30 kW • 5th zone booster power: 1.85 kW • Type of gas burners: Standard • Burner caps: Matt black enamelled • Automatic electronic ignition: Yes • Automatic switch off when overheat: Yes • Automatic pan detection: Yes • Minimum pan diameter indication: Yes • Selected zone indicator: Yes • Residual heat indicator: Yes

MAIN OVEN TECHNICAL FEATURES

Net volume of the cavity: 70 litres • Gross volume, 1st cavity: 79 l • Cavity material: Easy clean enamel • Shelf positions: 5 • Type of shelves: Metal racks • No. of lights: 2 • Light type: Halogen • Light power: 40 W • Fan number: 1 • Cooking time setting: Start and Stop • Door opening: Flap down • Light when oven door is open: Yes • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • Total no. of door glasses: 4 • No. of thermo-reflective door glasses: 3 • Door Lock During Pyrolysis: Yes • Safety Thermostat: Yes • Cooling system: Tangential • Heating suspended when door is opened: Yes • Grill type: Electric • Grill element: 1700 W • Large grill - Power: 2700 W • Lower heating element power: 1200 W • Upper heating element - Power: 1000 W • Circular heating element - Power: 2000 W • Soft Close system: Yes • Temperature control: Electro-mechanical

SECOND OVEN TECHNICAL FEATURES

Net volume of the second cavity: 63 litres • Cavity material: Easy clean enamel • Shelf positions: 5 • Type of shelves: Metal racks • No. of lights: 2 • Light type: Halogen • Light power: 40 W • Cooking time setting: Start and Stop • Light when oven door is open: Yes • Door opening: Flap down • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • No. total door glasses: 3 • No. thermo-reflective door glasses: 2 • Safety Thermostat: Yes • Cooling system: Tangential • Heating suspended when door is opened: Yes • Grill type: Electric • Tilting grill: Yes • Grill element - power: 1700 W • Large grill - Power: 2700 W • Lower heating element - power: 1200 W • Upper heating element - Power: 1000 W • Soft Close system: Yes • Temperature control: Electro-mechanical

THIRD OVEN TECHNICAL FEATURES

PERFORMANCE / ENERGY LABEL

Energy efficiency class: A+ • GAS - Energy consumption in fan-forced convection, first cavity: 2.45 MJ • Energy consumption forced air convection (kWh) first cavity: 0.68 kWh • GAS - Energy consumption conventional mode, first cavity: 3.92 MJ • Energy consumption conventional first cavity (kWh): 1.09 kWh • Energy consumption zone 4: 180 Wh/Kg • Energy consumption zone 5: 178 Wh/Kg

PERFORMANCE /ENERGY LABEL - SECOND CAVITY

Energy efficiency class, second cavity: A • GAS - Energy consumption in conventional mode, second cavity: 4.18 MJ • GAS - Energy consumption in conventional mode, second cavity: 1.16 kWh • GAS - Energy consumption in forced air convection, second cavity: 2.77 MJ • GAS - Energy consumption in forced air convection, second cavity: 0.77 kWh

ELECTRICAL CONNECTION

Nominal power: 10900 W • Voltage: 220-240 V • Voltage 2 (V): 380-415 V • Frequency: 50/60 Hz

GAS CONNECTION

Gas connection rating (W): 9000 W • Gas Type: G20 Natural gas

LOGISTIC INFORMATION

Width (mm): 1200 mm • Product Height (mm): 900 mm • Depth (mm): 600 mm • Gross weight (kg): 190.000 kg • Net weight (kg): 156.500 kg

NO LONGER IN USE

ACCESSORIES INCLUDED

Other gas nozzles included: G30 LPG liquid gas

ACCESSORIES INCLUDED FOR MAIN OVEN & HOB

Grill mesh: 120mm deep tray: 140mm deep tray: 1 Rack with back and side stop: 1 Meat Probe: 1 Telescopic Guide rails, total
Extraction: 1

ACCESSORIES INCLUDED FOR SECONDARY OVEN

Rack with back and side stop: 1 Grill mesh: 1 Telescopic Guide rails, total Extraction: 120mm deep tray: 140mm deep tray: 1

OPTIONAL

GTT: Telescopic guides, Ovens, Cookers GTP: Telescopic guides, Ovens, Cookers BBQ: Pan stands, Ovens, Cookers AIRFRY: Pan stands, Ovens, Cookers PRTX: Pizza stone, Ovens, Cookers TPKPLATE: Griddle, Cookers, Hobs GRILLPLATE: Griddle, Cookers, Hobs PALPZ: Pizza shovel, Ovens, Cookers PPR2: Pizza stone, Ovens, Cookers BGTR4110: Griddle, Cookers WOKGHU: Wok support, Cookers, Hobs KIT1CPF120X: Splashback, Cookers

