


## CPF120IGMPWH

Cooker, 120x60 cm, Portofino, White, Hob type: Mixed, Type of main oven: Thermo-ventilated, Type of second oven: Thermo-ventilated, Direct steam, A+, A




### DIRECT STEAM

The evaporation tray distributes steam inside the oven cavity, allowing you to create healthier dishes, minimise meat shrinkage and reduce cooking times.




### EASY CLEAN ENAMEL INTERIOR

The enamel finish of the oven cavity has a special antacid lining which helps to reduce the amount of dirt adhering to the surface.



### CLOSED DOOR GRILLING

Closed door grilling allows you to grill with the door closed, keeping cooking smells inside the oven and out of the kitchen to ensure a safe cooking environment and reduced energy consumption.



### TYPE

Product Family: Cooker • Cooker size: 120x60 cm • Hob energy type: Mixed • N. of ovens: 2 • Hob type: Mixed • Main oven type: Thermo-ventilated • Type of second oven: Thermo-ventilated • Steam technology: Direct steam • Cleaning system: Pyrolytic • EAN code: 8017709286071

### AESTHETICS

Colour: White • Aesthetics: Portofino • Design: Flush fit • Material: Enamelled • Door: With frame • Command panel finish: Enamelled metal • Hob colour: Stainless steel • Handle: Smeg Portofino • Controls colour: Stainless steel • Upstand: Yes • Display: Touch • Type of pan stands: Cast Iron • Glass type: Black • Handle Colour: White • Control knobs: Smeg Portofino • No. of controls: 11 • Plinth: Black • Storage compartment: Drawer • Sliding compartment: Yes

### PROGRAMS / FUNCTIONS

Traditional cooking functions: Static, Fan assisted, Circulaire, Turbo (circulaire + bottom + upper + fan), ECO, Small grill, Large grill, Fan grill (large), Fan assisted base • Cleaning functions: Pyrolytic

## PROGRAMS / FUNCTIONS AUXILIARY OVEN

Cooking functions cavity 2: 8 • Traditional cooking functions, cavity 2: Static, Fan assisted, Circulaire, ECO, Large grill, Fan grill (large), Fan-assisted bottom • Cooking functions with Direct Steam technology: Termo-ventilato (Circolare + Ventola) • Cleaning functions cavity 2: Vapor Clean

## HOB OPTIONS

Multizone Option: Yes • Limited Power Consumption Mode: Yes • Limited Power Consumption Mode in W: 2800, 3700 W

## OPTIONS MAIN OVEN

Timer: Yes • End of cooking acoustic alarm: Yes • Minimum Temperature: 50 °C • Maximum temperature: 280 °C

## OPTIONS AUXILIARY OVEN

Timer: Yes • End of cooking acoustic alarm: Yes • Minimum Temperature: 50 °C • Maximum temperature: 260 °C

## HOB TECHNICAL FEATURES

Total no. of cook zones: 6 • 1st zone position: Left centre • 2nd zone position: Front centre • 3rd zone position: Rear centre • 4th zone position: Front right • 5th zone position: Rear right • 6th zone position: Central • 1st zone type: Gas - 2UR (dual) • 2nd zone type: Gas - Semi Rapid • 3rd zone type: Gas - Rapid • 4th zone type: Induction - multizone • 5th zone type: Induction - multizone • 6th zone type: Teppanyaki • 4th zone dimensions: 21.1x19.1 cm • 5th zone dimensions: 21.0x19.0 cm • 1st zone power: 4.20 kW • 2nd zone power: 1.80 kW • 3rd zone power: 3.00 kW • 4th zone power: 2.10 kW • 5th zone power: 1.60 kW • 6th zone power: 1.40 kW • 4th zone booster power: 2.30 kW • 5th zone booster power: 1.85 kW • Type of gas burners: Standard • Burner caps: Matt black enamelled • Automatic electronic ignition: Yes • Automatic switch off when overheat: Yes • Automatic pan detection: Yes • Minimum pan diameter indication: Yes • Selected zone indicator: Yes • Residual heat indicator: Yes

## MAIN OVEN TECHNICAL FEATURES

Net volume of the cavity: 70 litres • Gross volume, 1st cavity: 79 l • Cavity material: Easy clean enamel • Shelf positions: 5 • Type of shelves: Metal racks • No. of lights: 2 • Light type: Halogen • Light power: 40 W • Fan number: 1 • Cooking time setting: Start and Stop • Door opening: Flap down • Light when oven door is open: Yes • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • Total no. of door glasses: 4 • No. of thermo-reflective door glasses: 3 • Door Lock During Pyrolysis: Yes • Safety Thermostat: Yes • Cooling system: Tangential • Heating suspended when door is opened: Yes • Grill type: Electric • Grill element: 1700 W • Large grill - Power: 2700 W • Lower heating element power: 1200 W • Upper heating element - Power: 1000 W • Circular heating element - Power: 2000 W • Soft Close system: Yes • Temperature control: Electro-mechanical

## SECOND OVEN TECHNICAL FEATURES

Net volume of the second cavity: 63 litres • Cavity material: Easy clean enamel • Shelf positions: 5 • Type of shelves: Metal racks • No. of lights: 2 • Light type: Halogen • Light power: 40 W • Cooking time setting: Start and Stop • Light when oven door is open: Yes • Door opening: Flap down • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • No. total door glasses: 3 • No. thermo-reflective door glasses: 2 • Safety Thermostat: Yes • Cooling system: Tangential • Heating suspended when door is opened: Yes • Grill type: Electric • Tilting grill: Yes • Grill element - power: 1700 W • Large grill - Power: 2700 W • Lower heating element - power: 1200 W • Upper heating element - Power: 1000 W • Soft Close system: Yes • Temperature control: Electro-mechanical

## THIRD OVEN TECHNICAL FEATURES

### PERFORMANCE / ENERGY LABEL

Energy efficiency class: A+ • GAS - Energy consumption in fan-forced convection, first cavity: 2.45 MJ • Energy consumption forced air convection (kWh) first cavity: 0.68 kWh • GAS - Energy consumption conventional mode, first cavity: 3.92 MJ • Energy consumption conventional first cavity (kWh): 1.09 kWh • Energy consumption zone 4: 180 Wh/Kg • Energy consumption zone 5: 178 Wh/Kg

### PERFORMANCE /ENERGY LABEL - SECOND CAVITY

Energy efficiency class, second cavity: A • GAS - Energy consumption in conventional mode, second cavity: 4.18 MJ • GAS - Energy consumption in conventional mode, second cavity: 1.16 kWh • GAS - Energy consumption in forced air convection, second cavity: 2.77 MJ • GAS - Energy consumption in forced air convection, second cavity: 0.77 kWh

### ELECTRICAL CONNECTION

Nominal power: 10900 W • Voltage: 220-240 V • Voltage 2 (V): 380-415 V • Frequency: 50/60 Hz

### GAS CONNECTION

Gas connection rating (W): 9000 W • Gas Type: G20 Natural gas

### LOGISTIC INFORMATION

Width (mm): 1200 mm • Product Height (mm): 900 mm • Depth (mm): 600 mm • Gross weight (kg): 190.000 kg • Net weight (kg): 156.500 kg

### NO LONGER IN USE

### ACCESSORIES INCLUDED

Other gas nozzles included: G30 LPG liquid gas

## ACCESSORIES INCLUDED FOR MAIN OVEN & HOB

Grill mesh: 1 Rack with back and side stop: 1 Meat Probe: 120mm deep tray: 140mm deep tray: 1 Telescopic Guide rails, total Extraction: 1

## ACCESSORIES INCLUDED FOR SECONDARY OVEN

Rack with back and side stop: 1 Grill mesh: 120mm deep tray: 140mm deep tray: 1 Telescopic Guide rails, total Extraction: 1

## OPTIONAL

GTT: Telescopic guides, Ovens, Cookers GTP: Telescopic guides, Ovens, Cookers AIRFRY: Pan stands, Ovens, Cookers BBQ: Pan stands, Ovens, Cookers PRTX: Pizza stone, Ovens, Cookers GRILLPLATE: Griddle, Cookers, Hobs TPKPLATE: Griddle, Cookers, Hobs PALPZ: Pizza shovel, Ovens, Cookers PPR2: Pizza stone, Ovens, Cookers BGTR4110: Griddle, Cookers WOKGHU: Wok support, Cookers, Hobs KIT1CPF120X: Splashback, Cookers

