

FC18XDNE

Refrigerator, Universal, Bottom Mount, Free Standing, Hinge position: Right, stainless steel-look, No frost, E



TYPE

Product Family: Refrigerator • Installation: Free Standing • Category: Bottom Mount • Cooling type: No frost • Defrost: Automatic • Hinge position: Right • Hinge type: Standard • Reversible door: Yes • Reference width: Until 60 • EAN code: 8017709303129

AESTHETICS

Colour: stainless steel-look • Aesthetics: Universal • Material: Steel Effect • Handle type: Fixed • Handle: Integrated • Side material: Steel • Side colour: Silver • Display: LED • Display position: External (on door)

REFRIGERATOR COMPARTMENT FEATURES

No. of adjustable shelves: 2 • Number of fruit and vegetables drawers: 1 • Type of crisper/vegetable drawers cover: On sliding rails • Type of adjustable shelves: Glass • Crisper Cover: Yes • Bottle shelf: Yes • Type of crisper/vegetable drawers cover: Glass • Low temperature compartment: Yes • Internal light in fridge: Yes • Type of internal light (fridge): LED

REFRIGERATOR INNER DOOR

Number of adjustable door shelves: 2 • No. of bottle shelves: 1

OTHER REFRIGERATOR FEATURES

Accessories: Egg tray • MultiFlow: Yes

FREEZER COMPARTMENT FEATURES

Number of drawers: 3

FREEZER INNER DOOR

OTHER FREEZER FEATURES

Accessories: 1 ice box

OTHER TECHNICAL FEATURES

Functions display: Fast freezing, ECO • Door open alarm: Yes • Temperature Alarm: Yes • Type of temperature control: Electronic
• No. of compressors: 1 • Type of compressor: Standard

TECHNICAL FEATURES

PERFORMANCE / ENERGY LABEL NEW

Annual energy consumption: 242 kWh/year • Energy efficiency class: E • Total volume: 300 l • Sum of the volumes of the frozen compartment(s): 96 l • Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s): 204 l • Airborne acoustical noise emission class: C • Thaw time: 10 h • 4 star - Freezing capacity: 10.0 kg/24h • Climatic class: SN, N, ST, T • EEI: 100 % • Noise level: 38 dB(A) re 1pW

ELECTRICAL CONNECTION

Nominal power: 70 W • Voltage (V): 220-240 V • Frequency (Hz): 50 Hz • Power supply cable length: 200 cm

OPTIONAL ACCESSORIES

ALSO AVAILABLE

LOGISTIC INFORMATION

Dimensions: 1850x600x592 mm • Width (mm): 600 mm • Product Height with feet: 1850 mm • Depth without handle: 592 mm
• Gross weight (kg): 61.000 kg • Net weight (kg): 59.000 kg

