


SIM1963DS

Hob, Aesthetics: Linea, Induction, 90 cm, Built-in: Ultra-low profile or Fully Flushed



TYPE

Product Family: Hob • Dimensions: 90 cm • Type: Induction • Built-in: Ultra-low profile or Fully Flushed • Power supply: Electric •

EAN code: 8017709288198

AESTHETICS

Colour: Silver • Finishing: Glass • Aesthetics: Linea • Material: Glass • Glass Type: Ceramic glass • Type of control setting: Multi Slider • Control knobs position: Front • Slider: Yes • Slider: White • Glass edge: Straight edge • Serigraphy colour: Grey

PROGRAMS / FUNCTIONS

Total no. of cook zones: 6 • No. of induction cook zones: 6 • Time-setting options: Automatic switch-off • No. of cooking zones with booster: 6 • No. of Flexible zones: 3 • Main on/off switch: Yes • Power levels: 9

OPTIONS

Standard cut out: 490x880 mm • Multizone Option: Yes • Flexible Zone Type: MultiZone • End cooking timer: 6 • Pause option: Yes • Minute minder: 1 • End of cooking acoustic alarm: Yes • Residual time indicator: Yes • Limited Power Consumption Mode: Yes advance • Limited Power Consumption Mode in W: 4200, 5000, 6000 W • Show Room Demo Option: Yes • Grill function: Yes • Control Lock / Child Safety: Yes • Keep warm automatic function: Yes • Bridge option: Yes auto • Quick start: Yes • Rapid level selection: Yes

COOKING ZONES

1st zone position: Front left • 2nd zone position: Rear left • 3rd zone position: Front centre • 4th zone position: Rear centre • 5th zone position: Front right • 6th zone position: Rear right • 1st zone type: Induction - Multizone • 2nd zone type: Induction - multizone • 3rd zone type: Induction - Multizone • 4th zone type: Induction - multizone • 5th zone type: Induction - Multizone • 6th zone type: Induction - multizone • 1st zone dimensions: 24.0x18.0 cm • 2nd zone dimensions: 24.0x18.0 cm • 3rd zone dimensions: 24.0x18.0 cm • 4th zone dimensions: 24.0x18.0 cm • 5th zone dimensions: 24.0x18.0 cm • 6th zone dimensions: 24.0x18.0 cm • Left Multizone dimension: 38.5x23.0 cm • Central Multizone dimension: 38.5x23.0 cm • Right Multizone dimension: 38.5x23.0 cm • 1st zone power: 2.10 kW • 2nd zone power: 2.10 kW • 3rd zone power: 2.10 kW • 4th zone power: 2.10 kW • 5th zone power: 2.10 kW • 5th zone power: 2.10 kW • Power double booster 1° zone: 3.00 kW • Power double booster 2° zone: 3.00 kW • Power double booster 3° zone: 3.00 kW • 1st zone booster power: 2.50 kW • Power double booster 4° zone: 3.00 kW • Power double booster 5° zone: 3.00 kW • Power double booster 6° zone: 3.00 kW • 2nd zone booster power: 2.50 kW • 3rd zone booster power: 2.50 kW • 4th zone booster power: 2.50 kW • 5th zone booster power: 2.50 kW • 6th zone booster power: 2.50 kW • Booster power left Multizone: 3.70 kW • Booster power central Multizone: 3.70 kW • Booster power right Multizone: 3.70 kW

TECHNICAL FEATURES

Automatic setting according to pan dimension: Yes • Permanent Automatic Pot Detection with indication of the relative control: Yes • Automatic pan detection: Yes, min 9 cm • Automatic switch off when overheat: Yes • Automatic switch off when overflow: Yes • Residual heat indicator: Yes • Protection against accidental start up: Yes

PERFORMANCE / ENERGY LABEL

2nd zone energy consumption: 195 Wh/Kg • Energy consumption zone 3: 195 Wh/Kg • Energy consumption zone 4: 198 Wh/Kg • Energy consumption zone 5: 195 Wh/Kg • Energy consumption zone 6: 191 Wh/Kg

ELECTRICAL CONNECTION

Nominal power (W): 11100 W • Voltage (V): 220-240 V • Voltage 2 (V): 380-415 V • Frequency (Hz): 50/60 Hz • Type of electric cable: Double universal • Power supply cable length: 120 cm

ALSO AVAILABLE

LOGISTIC INFORMATION

Dimensions of the product (mm): 53x900x510 • Depth (mm): 510 mm • Width (mm): 900 mm • Product Height (mm): 53 mm •
Net weight (kg): 16.800 kg • Gross weight (kg): 18.200 kg

