



SUK62MX8

Cooker, 60x60 cm, Classic, Concert, Stainless steel, Hob type: Gas, Type of main oven: Thermo-ventilated, Type of second oven: Static, A, A




EASY CLEAN ENAMEL INTERIOR

The enamel finish of the oven cavity has a special antacid lining which helps to reduce the amount of dirt adhering to the surface.



CLOSED DOOR GRILLING

Closed door grilling allows you to grill with the door closed, keeping cooking smells inside the oven and out of the kitchen to ensure a safe cooking environment and reduced energy consumption.



TYPE

Product Family: Cooker • Cooker size: 60x60 cm • Hob energy type: Gas • N. of ovens: 2 • Hob type: Gas • Main oven type: Thermo-ventilated • Type of second oven: Static • EAN code: 8017709144968

AESTHETICS

Colour: Stainless steel • Finishing: Brushed • Aesthetics: Classic • Design: Standard • Series: Concert • Material: Stainless steel • Door: With 2 horizontal strips • Command panel finish: Stainless steel • Hob colour: Stainless steel • Handle: Smeg Classic • Controls colour: Stainless steel • Upstand: Yes • Display: electronic 5 buttons • Type of pan stands: Cast Iron • Glass type: Stopsol • Handle Colour: Brushed stainless steel • Control knobs: Smeg Classic • No. of controls: 6

PROGRAMS / FUNCTIONS

Traditional cooking functions: Circulaire

PROGRAMS / FUNCTIONS AUXILIARY OVEN

Traditional cooking functions, cavity 2: Static, Small grill, Large grill, Bottom

HOB OPTIONS

OPTIONS MAIN OVEN

Timer: Yes • End of cooking acoustic alarm: Yes • Minimum Temperature: 50 °C • Maximum temperature: 245 °C

OPTIONS AUXILIARY OVEN

Minimum Temperature: 50 °C • Maximum temperature: 245 °C

HOB TECHNICAL FEATURES

Total no. of cook zones: 4 • 1st zone position: Front left • 2nd zone position: Rear left • 3rd zone position: Rear right • 4th zone position: Front right • 1st zone type: Gas - UR • 2nd zone type: Gas - Semi Rapid • 3rd zone type: Gas - Semi Rapid • 4th zone type: Gas - AUX • 1st zone power: 3.50 kW • 2nd zone power: 1.75 kW • 3rd zone power: 1.75 kW • 4th zone power: 1.00 kW • Type of gas burners: Standard • Burner caps: Matt black enamelled • Automatic electronic ignition: Yes • Gas safety valves: Yes

MAIN OVEN TECHNICAL FEATURES

Net volume of the cavity: 61 litres • Gross volume, 1st cavity: 70 l • Cavity material: Easy clean enamel • Shelf positions: 4 • Type of shelves: Metal racks • No. of lights: 1 • Light type: Halogen • Light power: 40 W • Cooking time setting: Start and Stop • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • Total no. of door glasses: 2 • No. of thermo-reflective door glasses: 1 • Safety Thermostat: Yes • Cooling system: Tangential • Circular heating element - Power: 2700 W • Temperature control: Electro-mechanical

SECOND OVEN TECHNICAL FEATURES

Net volume of the second cavity: 35 litres • Cavity material: Easy clean enamel • Shelf positions: 2 • Type of shelves: Metal racks • No. of lights: 1 • Light type: Halogen • Light power: 40 W • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • No. total door glasses: 2 • No. thermo-reflective door glasses: 1 • Safety Thermostat: Yes • Cooling system: Tangential • Grill type: Electric • Tilting grill: Yes • Grill element - power: 1700 W • Large grill - Power: 2700 W • Lower heating element - power: 1200 W • Upper heating element - Power: 1000 W • Temperature control: Electro-mechanical

THIRD OVEN TECHNICAL FEATURES

PERFORMANCE / ENERGY LABEL

Energy efficiency class: A • GAS - Energy consumption in fan-forced convection, first cavity: 2.77 MJ • Energy consumption forced air convection (kWh) first cavity: 0.77 kWh

PERFORMANCE /ENERGY LABEL - SECOND CAVITY

Energy efficiency class, second cavity: A • GAS - Energy consumption in conventional mode, second cavity: 2.66 MJ • GAS - Energy consumption in conventional mode, second cavity: 0.74 kWh

ELECTRICAL CONNECTION

Nominal power: 5500 W • Voltage: 220-240 V • Voltage 2 (V): 380-415 V • Frequency: 50/60 Hz • Power supply cable length: 120 cm

GAS CONNECTION

Gas connection rating (W): 8150 W • Gas Type: G20 Natural gas

LOGISTIC INFORMATION

Width (mm): 600 mm • Product Height (mm): 900 mm • Depth (mm): 600 mm • Gross weight (kg): 62.600 kg • Net weight (kg): 53.300 kg

NO LONGER IN USE

ACCESSORIES INCLUDED

Other gas nozzles included: G30 LPG liquid gas

ACCESSORIES INCLUDED FOR MAIN OVEN & HOB

Grill mesh: 1 Rack with back and side stop: 1 Moka stand: 1 Wok stand: 140mm deep tray: 1

ACCESSORIES INCLUDED FOR SECONDARY OVEN

Rack with back and side stop: 1 Grill mesh: 140mm deep tray: 1

OPTIONAL

GTT: Telescopic guides, Ovens, Cookers
GTP: Telescopic guides, Ovens, Cookers
BBQ: Pan stands, Ovens, Cookers
AIRFRY: Pan stands, Ovens, Cookers
PRTX: Pizza stone, Ovens, Cookers
PALPZ: Pizza shovel, Ovens, Cookers
PPR2: Pizza stone, Ovens, Cookers
KITP60X9: Splashback, Cookers

