

## SFPA6300TVX

Oven, Classic, 60cm, Thermoseal, Stainless steel, Pyrolitic



### TYPE

Product Family: Oven • Category: 60cm • Cooking Method: Thermoseal • Power supply: Electric • EAN code: 8017709289300 •  
Cleaning system: Pyrolitic

### AESTHETICS

Colour: Stainless steel • Finishing: Fingerproof • Aesthetic: Classic • Material: Stainless steel • Type of steel: Brushed • Glass  
Type: Eclipse • Door: With 2 horizontal strips • Handle: Classic • Handle Colour: Inox

### PROGRAMS / FUNCTIONS

No. of cooking functions: 7 • Traditional cooking functions: Static, Fan assisted, Circulaire, Turbo, Eco, Large grill, Fan grill (large)  
• Cleaning functions: Pirolysis

### CONTROLS

Display: Yes • Control setting: Knobs & touch buttons • No. of controls: 2 • Control knobs: Classic • Controls colour: Steel effect

### OPTIONS

Time-setting options: Delay start and automatic end cooking • Minute minder: Yes • Timer: 1 • Knobs mode: Yes

## TECHNICAL FEATURES

Display name: DigiScreen • Display technology: LED • Temperature control: Electronic • Minimum Temperature: 50 °C • Maximum temperature: 280 °C • Cavity material: Ever clean Enamel • No. of shelves: 5 • Shelves type: Metal racks • N. of fans: 1 • No. of lights: 2 • User-replaceable light: Yes • Light type: Halogen • Light Power: 40 W • Light when door is opened: Yes • Door opening type: Standard opening • Door: Cool • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • Total no. of door glasses: 4 • Safety Thermostat: Yes • Cooling system: Tangential • Door Lock During Pyrolysis: Yes • Heating suspended when door is opened: Yes • Lower heating element power: 1200 W • Upper heating element - Power: 1000 W • Grill element - power: 1700 W • Large grill - Power: 2700 W • Circular heating element - Power: 2000 W

## PERFORMANCE / ENERGY LABEL

Energy efficiency class: A • Net volume of the cavity: 72 l • Energy consumption in conventional mode: 2.84 MJ • Energy consumption per cycle in conventional mode: 0.79 kWh • Energy consumption in forced air convection: 3.42 MJ • Energy consumption per cycle in fan-forced convection: 0.95 kWh

## ELECTRICAL CONNECTION

Voltage: 220-240 V • Nominal power: 3000 W • Frequency (Hz): 50/60 Hz • Power supply cable length: 115 cm

## LOGISTIC INFORMATION

Dimensions of the product (mm): 592x597x548 • Net weight (kg): 37.500 kg • Gross weight (kg): 41.200 kg

## ACCESSORIES INCLUDED

Rack with back and side stop: 2 Enamelled tray (20mm): 1 Enamelled deep tray (40mm): 1 Telescopic Guide rails, partial  
Extraction: 1 Insert grid: 1

## OPTIONAL

GTT: Telescopic Guides PPR2: Pizza stone

