

SOA330X1

Oven, Classic, 30", Thermoseal, Stainless steel, Pyrolitic



TYPE

Product Family: Oven • Category: 30" • Cooking Method: Thermoseal • Power supply: Electric • EAN code: 8017709206192 •
Cleaning system: Pyrolitic

AESTHETICS

Colour: Stainless steel • Finishing: Fingerproof • Aesthetic: Classic • Material: Stainless steel • Type of steel: Brushed • Glass
Type: Eclipse • Door: With 2 horizontal strips • Handle: Classic • Handle Colour: Inox

PROGRAMS / FUNCTIONS

No. of cooking functions: 6 • Traditional cooking functions: Static, Circulaire, Turbo, Large grill, Circulaire + grill, Pizza • Other
functions: Defrost, Proving, Sabbath, Dehydrate • Cleaning functions: Pirolysis

CONTROLS

Display: Yes • Control setting: Knobs & buttons • No. of controls: 2 • Control knobs: Classic • Controls colour: Steel effect

OPTIONS

Time-setting options: Delay start and automatic end cooking • Minute minder: Yes • Rapid pre-heating: Yes • Controls Lock /
Child Safety: Yes • Other options: Keep warm

TECHNICAL FEATURES

Temperature control: Electronic • Minimum Temperature: 30 °C • Maximum temperature: 290 °C • Cavity material: Enamel • No. of shelves: 6 • Shelves type: Molded sides • N. of fans: 2 • No. of lights: 3 • Light type: Halogen • Light Power: 20 W • Light when door is opened: Yes • Removable door: Yes • Total no. of door glasses: 4 • Safety Thermostat: Yes • Cooling system: Tangential • Door Lock During Pyrolysis: Yes • Heating suspended when door is opened: Yes • Lower heating element power: 3000 W • Upper heating element - Power: 1032 W • Large grill - Power: 3500 W • Circular heating element - Power: 1300 W • Circular heating element 2 - Power: 1300 W

PERFORMANCE / ENERGY LABEL

Net volume of the cavity: 103 l

ELECTRICAL CONNECTION

Voltage: 240 V • Nominal power: 3800 W • Frequency (Hz): 50/60 Hz • Power supply cable length: 120 cm

GAS CONNECTION

LOGISTIC INFORMATION

Dimensions of the product (mm): 707x754x610 • Net weight (kg): 71.000 kg • Gross weight (kg): 82.000 kg

ACCESSORIES INCLUDED

Rack with back and side stop: 2 Enamelled tray (20mm): 1 Insert grid: 1 Temperature probe: Yes, single point Telescopic Guide rails, total Extraction: 1

OPTIONAL

ET50: Tray



