


## KIV90XT-2

Hood, Decorative island hood, Universale, Stainless steel, 90 cm



### TYPE

Product family: Hood • Hood Type: Decorative island hood • Hood width: 90 cm • Extraction: Extraction • Electronic control: Yes  
• EAN code: 8017709194536

### AESTHETICS

Colour: Stainless steel • Finishing: Glass • Aesthetics: Universale • Design: Curved • Material: Glass • Type of steel: Brushed •  
Glass Type: Clear

### PROGRAMME / FUNCTIONS

No. of speeds: 4 • Time-setting options: Automatic switch-off

### CONTROLS

Control setting: Electronic buttons • Led color: White

### TECHNICAL FEATURES

No. of lights: 4 • Light type: Halogen • Light Power: 20 W • Free outlet maximum capacity: 700 m<sup>3</sup>/h • Motor power: 250 W •  
No. of filters: 2 • Anti-grease filters: Aluminium • Filter replacement indicator: Yes • Vent outlet: 150 mm • Non return valve: Yes

## PERFORMANCE / ENERGY LABEL

## ELECTRICAL CONNECTION

Electrical connection rating: 290 W • Voltage: 120 V • Frequency (Hz): 60 Hz • Power supply cable length: 1500 mm

## OPTIONAL ACCESSORIES

### SPEED 1

Extraction rate IEC 61591: 210 m<sup>3</sup>/h • Noise level IEC 60704-2-13: 37 dB(A) • Power: 103 W

### SPEED 2

Extraction rate IEC 61591: 396 m<sup>3</sup>/h • Noise level IEC 60704-2-13: 56 dB(A) • Power: 134 W

### SPEED 3

Extraction rate IEC 61591: 548 m<sup>3</sup>/h • Noise level IEC 60704-2-13: 64 dB(A) • Power: 178 W

### SPEED 4

Extraction rate IEC 61591: 726 m<sup>3</sup>/h • Noise level IEC 60704-2-13: 72 dB(A) • Power: 250 W

## INTENSIVE SPEED

## LOGISTIC INFORMATION

Dimensions of the product (mm): 1070x898x650 • Width: 898 mm • Depth (mm): 650 mm • Product Height (mm): 1070 mm •

Net weight (kg): 28.500 kg • Gross weight (kg): 36.260 kg

## OPTIONAL

KITALLFC: Charcoal filter, HoodsKITFC161: Charcoal filter, Hoods

