




## LP364XT

Dishwashers, Universale, Free-standing, 60 cm, Number of place settings: 14, Stainless steel, A++



### TYPE

Product Family: Dishwashers • EAN code: 8017709182441 • Commercial height: 85 cm • Number of place settings: 14 • Commercial width: 60 cm • Installation: Free-standing

### AESTHETICS

Aesthetics: Universale • Buttons colour: Finger friendly stainless steel • Sides colour: Finger friendly stainless steel • LED/display colour: Orange • Top colour: Finger friendly stainless steel • Front panel colour: Finger friendly stainless steel • Plinth colour: Silver (titanium matches st/steel) • Color: Stainless steel • Door type: Trapezia • Door colour: Finger friendly stainless steel

### PROGRAMS / FUNCTIONS

Intensive 70°: Yes • ECO: Yes • Soak: Yes • Mix Express: Yes • Universal: Yes • Ultraclean: Yes • Ultra Rapid: Yes • Glass PRO: Yes • Washing temperatures: 38°, 45°, 55°, 65°, 70° °C • N. of programmes: 5+4 quick programmes • Glass: Yes • Auto 60: Yes

### OPTIONS

Enersave option: Yes • Options for tabs FlexiTabs: Yes • Delay timer option: Up to 24 hours • 1/2 load FlexiZone option: Yes • Professional option: Yes

## BASKETS

N° baskets: 3, with FlexiDuo third basket • Basket colour: Grey • Largest loadable dish in upper basket: 18,0 cm • Basket components colour: Grey • Lower Basket: With completely foldable racks and glass holder • Handle: In plastic on upper and lower basket • Upper Basket: With foldable central racks and glass holder • Height adjustment of the upper basket: On three levels • Upper basket with EasyGlide System: Yes • Lower basket with anti-drip inserts: Yes • Largest loadable dish in lower basket: 30 cm

## TECHNICAL FEATURES

Concealed heating element: Yes • Progress indicator: Yes • Drying system: Natural condenser drying, with EnerSave automatic door opening system at the end of the cycle • Max water hardness: 100°fH;58°dH • Washing system: Orbital • Turbidity sensor Aquatest: Yes • End of cycle indicator: On display, with acoustic signal • Controls: Electronic • Door opening system: Yes • Salt light indicator: Light • Water supply: Single; cold/hot water max. 60°C - energysave with hot water up to 35% • Hinges: Self balancing with fixed hinges • Adjustable feet: Just for levelling • Display: Delayed start, Programme time indicator, Time to end indication • Rinse aid indicator: Light • Flood protection system: Total Acquastop • Motor: Inverter • Tub material: Stainless steel • Filter: Stainless steel • Third spray arm: Single • Display type: LED display (4 digit) • Water softener: With electronic setting

## PERFORMANCE / ENERGY LABEL

Energy consumption - stand by on mode: 0.80 W • Annual energy consumption: 261 kWh/a • Energy consumption - stand by off mode: 0.02 W • Noise level: 45 dB(A) re 1pW • Water consumption per cycle (l/cycle): 10,5 l • Total cycle time of reference programme (min): 175 min • Duration of the stand by on mode (min): 5 min • Energy efficiency class: A++ • Drying performance: A • Energy consumption per cycle (kWh/cycle): 0,920 kWh • Annual water consumption: 2940 l • Reference programme: ECO

## ELECTRICAL CONNECTION

Connected power: 5450 W • Voltage: 400-415 V • Type of connection: Three-phase • Frequency (Hz): 50 Hz • Power supply cable length: 200 cm

## LOGISTIC INFORMATION

Dimensions of the product HxWxD (mm): 850x598x600

## OPTIONAL

KITPLV2: Extension kit, DishwashersKITGH: Glass holder kit, Dishwashers

