


## PL5335X

Dishwashers, Universale, Partially-integrated, 60 cm, Number of place settings: 13, Stainless steel, A+++



### TYPE

Product Family: Dishwashers • EAN code: 8017709246709 • Commercial height: 82 cm • Number of place settings: 13 • Commercial width: 60 cm • Installation: Partially-integrated

### AESTHETICS

Aesthetics: Universale • Buttons colour: Silver (oropal grey) • LED/display colour: White • Front panel colour: Finger friendly stainless steel • Color: Stainless steel • Finishing: Fingerproof • Door type: Without frame

### PROGRAMS / FUNCTIONS

Normal Quick: Yes • ECO: Yes • Soak: Yes • Delicate and Quick: Yes • Ultraclean: Yes • ECO Quick: Yes • Rapid 27': Yes • Washing temperatures: 38°, 45°, 50°, 55°, 65°, 70° °C • N. of programmes: 5+5 quick programmes • Glass: Yes • Strong and fast: Yes • Normal: Yes

### OPTIONS

Enersave option: Yes • Options for tabs FlexiTabs: Yes • Delay timer option: Up to 24 hours • 1/2 load FlexiZone option: Yes • Quick Time option: Yes

## BASKETS

N° baskets: 3, with FlexiDuo third basket • Basket colour: Grey • Largest loadable dish in upper basket: 23,5 cm • Basket components colour: Grey • Lower Basket: With single foldable rack • Handle: In plastic on upper and lower basket • Upper Basket: With central fixed racks • Height adjustment of the upper basket: On three levels • Lower basket with anti-drip inserts: Yes • Colour Inner Components: Green anti drop inserts, Green pastic plate for regulation second basket on three levels, Green Flexiduo, Green Orbital • Largest loadable dish in lower basket: 30 cm

## TECHNICAL FEATURES

Progress indicator: Yes • Drying system: Natural condenser drying, with EnerSave automatic door opening system at the end of the cycle • Washing system: Orbital • End of cycle indicator: Acoustic signal • Door opening system: Yes • Salt light indicator: Light • Water supply: Single; cold/hot water max. 60°C - energysave with hot water up to 35% • Adjustable feet: 7cm, from 820 to 890 mm • Display: Delayed start, Programme time indicator, Time to end indication • Steam protection: In plastic • Display type: LED display (4 digit) • Concealed heating element: Yes • Max water hardness: 100°FH;58°dH • On/off indicator: Yes • Controls: Electronic • Hinges: Self balancing with fixed hinges • Rinse aid indicator: Light • Flood protection system: Total Acquastop • Motor: Single phase • Tub material: Stainless steel • Filter: Stainless steel • Third spray arm: Single • Back feet adjustable from front: Yes • Water softener: With electronic setting

## PERFORMANCE / ENERGY LABEL

Energy consumption - stand by on mode: 0.80 W • Annual energy consumption: 231 kWh/a • Energy consumption - stand by off mode: 0.50 W • Noise level: 47 dB(A) re 1pW • Water consumption per cycle (l/cycle): 9 l • Total cycle time of reference programme (min): 190 min • Duration of the stand by on mode (min): 5 min • Energy efficiency class: A+++ • Drying performance: A • Energy consumption per cycle (kWh/cycle): 0.810 kWh • Annual water consumption: 2520 l • Reference programme: ECO

## ELECTRICAL CONNECTION

Connected power: 1800 W • Voltage: 220-240 V • Type of connection: Single-phase • Frequency (Hz): 50 Hz • Power supply cable length: 140 cm

## ALSO AVAILABLE

## LOGISTIC INFORMATION

Dimensions of the product HxWxD (mm): 818x598x570

## OPTIONAL

KITPLV2: Extension kit, DishwashersKITPL60FABB: Plinth Kit, DishwashersKITPL60FABN: Plinth Kit, DishwashersKITPL60FABX: Plinth Kit, DishwashersKITGH: Glass holder kit, Dishwashers

