


PM6621WLDX

Hob, Aesthetics: Dolce Stil Novo, Mixed, 65 cm, Black, Built-in type: Traditional



TYPE

Product Family: Hob • EAN code: 8017709230463 • Dimensions: 65 cm • Power supply: Mixed • Built-in type: Traditional • Type: Mixed

AESTHETICS

Glass edge: Straight edge • Burners Material: Aluminium • Type of control setting: Control knobs • Slider: Yes • No. of controls: 2 • Components finishing: Stainless Steel • Controls colour: Black • Finishing: Glass • Aesthetics: Dolce Stil Novo • Burners: Smeg Contemporary • Glass type: Ceramic • Control knob position: Front • Glass on Steel: Yes • Burner Coating: Black Ceram • Serigraphy colour: Grey • Colour: Black • Material: Glass • Pan stands: Cast iron

PROGRAMS / FUNCTIONS

Total no. of cook zones: 4 • No. of induction cook zones: 2 • No. of gas cook zones: 2 • No. of Flexible zones: 1 • No. of cooking zones with booster: 2 • Power levels: 9 • Main on/off switch: Yes

OPTIONS

Flexible Zone Type: MultiZone • Rapid level selection: Yes • Standard cut out: 482-486x555-560 mm • End cooking timer: 2 • Showroom Demo Option: Yes • Residual time indicator: Yes • Control Lock / Child Safety: Yes • Keep warm automatic function: Yes • Multizone Option: Yes • Pause option: Yes • Minute minder: 1 • Melting/Low temperature cooking function: Yes • End of cooking alarm: Yes • Simmering Function: Yes

COOKING ZONES

Booster power right Multizone: 3.60 kW • 4th zone dimensions: 18.0x23.0 cm • 3rd zone dimensions: 18.0x23.0 cm • 4th zone position: Front-right • 3rd zone position: Rear-right • 4th zone type: Induction - Multizone • 2nd zone type: Gas - Rapid • 3rd zone booster power: 3.60 kW • 3rd zone type: Induction - Multizone • 4th zone booster power: 3.60 kW • 2nd zone power: 3.10 kW • 1st zone type: Gas - AUX • 1st zone power: 1.10 kW • 4th zone power: 2.10 kW • 3rd zone power: 2.10 kW • 2nd zone position: Rear-left • 1st zone position: Front-left • Right Multizone dimension: 385x230 mm

TECHNICAL FEATURES

Gas safety valves: Yes • Automatic Ignition: Yes • Automatic switch off when overheat: Yes • Automatic switch off when overflow: Yes • Permanent Automatic Pot Detection with indication of the relative control: Yes • Automatic setting according to pan dimension: Yes • Gas Type: G20/G25 natural gas • Protection against accidental start up: Yes • Residual heat indicator: Yes • pan detection: Yes, min 9 cm

PERFORMANCE / ENERGY LABEL

Energy consumption zone 3: 195 Wh/Kg • Energy consumption zone 4: 195 Wh/Kg

ELECTRICAL CONNECTION

Gas connection rating (W): 4200 W • Voltage (V): 220-240 V • Frequency (Hz): 50/60 Hz • Type of electric cable: Single phase • Electrical connection rating (W): 3700 W

ALSO AVAILABLE

LOGISTIC INFORMATION

Dimensions of the product (mm): 45x650x510 • Width (mm): 650 mm • Depth (mm): 510 mm • Product Height (mm): 45 mm

ACCESSORIES INCLUDED

Other gas nozzles included: G30 GPL Liquid gas Other gas connections provided: Conical

OPTIONAL

LGCN: Connecting Strip, HobsTPK: Teppanyaki grill, HobsDICAR: Simmer Plate, Cookers, HobsGRM: Reduction Grid, Cookers, HobsGRW: Reduction Grid, HobsWOKGHU: Reduction Grid, Cookers, Hobs

