


PM6g12WLDX

Hob, Aesthetics: Dolce Stil Novo, Mixed, 90 cm, Black, Built-in type: Traditional



TYPE

Product Family: Hob • EAN code: 8017709230500 • Dimensions: 90 cm • Power supply: Mixed • Built-in type: Traditional • Type: Mixed

AESTHETICS

Glass edge: Straight edge • Burners Material: Alluminium • Type of control setting: Control knobs • Slider: Yes • No. of controls: 1 • Components finishing: Stainless Steel • Controls colour: Black • Finishing: Glass • Aesthetics: Dolce Stil Novo • Burners: Smeg Contemporary • Glass type: Ceramic • Control knob position: Front • Glass on Steel: Yes • Burner Coating: Black Ceram • Serigraphy colour: Grey • Colour: Black • Material: Glass • Pan stands: Cast iron

PROGRAMS / FUNCTIONS

Total no. of cook zones: 5 • No. of induction cook zones: 4 • No. of gas cook zones: 1 • No. of Flexible zones: 2 • No. of cooking zones with booster: 4 • Power levels: 9 • Main on/off switch: Yes

OPTIONS

Flexible Zone Type: MultiZone • Rapid level selection: Yes • Standard cut out: 482-486x844-848 mm • End cooking timer: 4 • Showroom Demo Option: Yes • Residual time indicator: Yes • Control Lock / Child Safety: Yes • Keep warm automatic function: Yes • Multizone Option: Yes • Pause option: Yes • Minute minder: 1 • Melting/Low temperature cooking function: Yes • End of cooking alarm: Yes • Simmering Function: Yes

COOKING ZONES

Booster power right Multizone: 3.60 kW • 4th zone dimensions: 18.0x23.0 cm • Central Multizone dimension: 385x230 mm • 5th zone booster power: 3.60 kW • 3rd zone dimensions: 18.0x23.0 cm • 5th zone dimensions: 18.0x23.0 cm • 4th zone tipe: Induction - Multizone • 5th zone type: Induction - Multizone • 2nd zone booster power: 3.60 kW • 2nd zone type: Induction - Multizone • 2nd zone dimensions: 18.0x23.0 cm • 3rd zone booster power: 3.60 kW • 3rd zone type: Induction - Multizone • 4th zone booster power: 3.60 kW • 2nd zone power: 2.10 kW • 1st zone power: 6.00 kW • 4th zone power: 2.10 kW • 3rd zone power: 2.10 kW • Right Multizone dimension: 385x230 mm • Booster power central Multizone: 3.60 kW • 5th zone power: 2.10 kW • 5th zone position: Front-right • 4th zone position: Rear-right • 3rd zone position: Front-centre • 1st zone type: Gas - UR • 2nd zone position: Rear-centre • 1st zone position: Centre-left

TECHNICAL FEATURES

Gas safety valves: Yes • Automatic Ignition: Yes • Automatic switch off when overheat: Yes • Automatic switch off when overflow: Yes • Permanent Automatic Pot Detection with indication of the relative control: Yes • Automatic setting according to pan dimension: Yes • Gas Type: G20 Natural gas • Protection against accidental start up: Yes • Residual heat indicator: Yes • pan detection: Yes, min 9 cm

PERFORMANCE / ENERGY LABEL

Energy consumption zone 3: 195 Wh/Kg • 2nd zone energy consumption: 195 Wh/Kg • Energy consumption zone 5: 195 Wh/Kg • Energy consumption zone 4: 195 Wh/Kg

ELECTRICAL CONNECTION

Gas connection rating (W): 6000 W • Voltage (V): 220-240 V • Frequency (Hz): 50/60 Hz • Type of electric cable: Single phase • Electrical connection rating (W): 7400 W

ALSO AVAILABLE

LOGISTIC INFORMATION

Dimensions of the product (mm): 45x900x510 • Width (mm): 900 mm • Depth (mm): 510 mm • Product Height (mm): 45 mm

ACCESSORIES INCLUDED

Cast iron wok support: 1Other gas nozzles included: G30 GPL Liquid gasOther gas connections provided: Conical

OPTIONAL

LGCN: Connecting Strip, HobsTPK: Teppanyaki grill, HobsGRW: Reduction Grid, HobsWOKGHU: Reduction Grid, Cookers, Hobs

