

S4C092F

Refrigerator, Universale, One Door, Built-in, Hinge position: Right, White, Static, F



TYPE

Product Family: Refrigerator • Installation: Built-in • Category: One Door • Cooling type: Static • Defrost: Automatic for refrigerator, manual for freezer • Hinge position: Right • Hinge type: Sliding • Reversible door: Yes • Reference width: Until 60 • Reference height: Until 100 • Built-in niche: 88 • EAN code: 8017709292966

AESTHETICS

Colour: White • Aesthetics: Universale • Design: Flat • Material: Metal sheet • Side material: Steel • Side colour: White • Display: LED • Display position: Interno (cella frigo) • Door shelves profile color: White • Color of glass shelf profile: White

REFRIGERATOR COMPARTMENT FEATURES

No. of adjustable shelves: 2 • Number of fruit and vegetables drawers: 1 • Type of crisper/vegetable drawers cover: Standard • Type of adjustable shelves: Glass • Crisper Cover: Yes • Type of crisper/vegetable drawers cover: Glass • Internal light in fridge: Yes • Type of internal light (fridge): LED

REFRIGERATOR INNER DOOR

No. of door shelves with transparent cover: 1 • Number of adjustable door shelves: 2 • No. of bottle shelves: 1

OTHER REFRIGERATOR FEATURES

Accessories: Egg tray

FREEZER COMPARTMENT FEATURES

Internal freezer compartment: Yes

OTHER TECHNICAL FEATURES

Type of temperature control: Electronic • No. of compressors: 1 • Type of compressor: Standard • Freezer compartment accessories: Ice cube tray

TECHNICAL FEATURES

PERFORMANCE / ENERGY LABEL NEW 2019

Annual energy consumption: 178 kWh/a • Energy efficiency class: F • Total net volume: 124 l • Sum of the volumes of the frozen compartment(s): 14 l • Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s): 110 l • Airborne acoustical noise emission class: C • Temperature Rise Time: 8.50 h • 4 star - Freezing capacity: 2.6 Kg/24h • Climate class: SN, N, ST • EEI: 124 % • Airborne acoustical noise emissions: 37 dB(A) re 1pW

ELECTRICAL CONNECTION

Electrical connection rating: 100 W • Voltage (V): 230-240 V • Frequency (Hz): 50 Hz • Power supply cable length: 240 cm

OPTIONAL ACCESSORIES

ALSO AVAILABLE

LOGISTIC INFORMATION

Dimensions: 873x548x549 mm • Width: 548 mm • Width of the built-in niche: 560 mm • Product width with maximum doors opening: 548 mm • Height: 873 mm • Height of the built-in niche: 880 mm • Depth without handle: 549 mm • Depth of the built-in niche: 550 mm • Spacer depth: 38 mm • Gross weight (kg): 32.800 kg • Net weight (kg): 31.600 kg

