


## ST6120C

Dishwashers, Universale, Fully-integrated built-in , 60 cm, Number of place settings: 12, Washing system: Orbital, Black



### TYPE

Product Family: Dishwashers • Commercial height: 82 cm • Number of place settings: 12 • Installation: Fully-integrated built-in • Commercial width: 60 cm • Kitchen panel: Not supplied • EAN code: 8017709297213

### AESTHETICS

Color: Black • Finishing: Black • Aesthetics: Universale • Front panel colour: Black • Door type: Galvanized • LED/display colour: Green • Buttons colour: Black

### PROGRAMME / FUNCTIONS

N. of programmes: 5 • Soak: Yes • ECO: Yes • Mix: Yes • Intense: Yes • 1/2 load: Yes • Washing temperatures: 50, 65, 70 °C

### OPTIONS

Dry Assist+ option: Yes • Delay timer option: 3-6-9 hours

## BASKETS

N° baskets: 2 • Basket colour: Grey • Basket components colour: Grey • Handle: In plastic only on upper basket • Upper Basket: With central fixed racks • Height adjustment of the upper basket: On two levels, by extraction • Lower Basket: With fixed racks • Largest loadable dish in upper basket: 25,0 cm • Lower basket with anti-drip inserts: Yes • Largest loadable dish in lower basket: 30,0 cm • Cutlery basket: 13 place settings sliding • Colour Inner Components: Green

## TECHNICAL FEATURES

Controls: Electronic • Door opening system: Yes • On/off indicator: Yes • Salt light indicator: Light • Rinse aid indicator: Light • End of cycle indicator: Acoustic signal • Washing system: Orbital • Drying system: Natural condenser drying, with Dry Assist + automatic door opening system at the end of the cycle • Motor: Single phase • Third spray arm: Single • Water softener: With electronic setting • Flood protection system: Single Acquastop • Water supply: Single; cold/hot water max. 60°C - energysave with hot water up to 35% • Max water hardness: 100°FH;58°dH • Steam protection: In plastic • Tub material: Stainless steel • Filter: Stainless steel • Concealed heating element: Yes • Min. and max. frontal panel weight: 2 - 9 kg • Hinges: Self balancing with fixed hinges • Min. and max plinth height: 100 - 228 mm • Adjustable feet: 7cm, from 820 to 890 mm

## PERFORMANCE / ENERGY LABEL

Cleaning performance: A • Noise level: 51 dB(A) re 1pW • Drying performance: A • Energy consumption per cycle (kWh/cycle): 1.010 kWh • Water consumption per cycle (l/cycle): 12 l • Annual energy consumption: 286 kWh/a • Annual water consumption: 3360 l • Reference programme: ECO • Total cycle time of reference programme (min): 195 min • Energy consumption - stand by off mode: 0.02 W • Energy consumption - stand by on mode: 0.80 W • Duration of the stand by on mode (min): 5 min • Energy Label ex EU: Grade 3

## ELECTRICAL CONNECTION

Connected power: 1900 W • Voltage: 220-230 V • Type of connection: Single-phase • Frequency (Hz): 50 Hz • Power supply cable length: 140 cm

## FEATURES ATTRIBUTES

Noise level: >= 48 db(A)

## ALSO AVAILABLE

## LOGISTIC INFORMATION

Dimensions of the product HxWxD (mm): 818x598x545 • Net weight (kg): 40.000 kg • Gross weight (kg): 42.000 kg

## OPTIONAL

KITPL60FABB: Plinth Kit, DishwashersKITPL60FABN: Plinth Kit, DishwashersKITPL60FABX: Plinth Kit, DishwashersKITPLV2: Extension kit, Dishwashers

