


KUC48X

Hood, Under cabinet, Classic, Stainless steel, 48 "



TYPE

Product family: Hood • Hood Type: Under cabinet • Hood width: 48 " • Extraction: Vented • EAN code: 8017709248048

AESTHETIC

Color: Stainless steel • Finishing: Satin • Aesthetic: Classic • Design: Canopy pro-style • Material: Stainless steel • Stainless steel type: Brushed

PROGRAMS / FUNCTIONS

Speed levels: 4

CONTROLS

Control setting: Control knobs • Control knobs: Pro-style • No. of controls: 2 • Controls color: Black

TECHNICAL FEATURES

No. of lights: 2 • Lighting: Halogen • Light power: 20 W • Light color temperature scale (°K): 3000 °K • Maximum extraction capacity at free mode: 587.5 CFM • Motor power: 455 W • No. of filters: 3 • Anti-grease filters: Aluminum • Minimum distance from gas cooktop: 30 " • Minimum distance from electric cooktop: 26 " • Vent outlet: 150 " • No-return valve: Yes

PERFORMANCE / ENERGY LABEL

ELECTRICAL CONNECTION

Electrical connection rating: 495 W • Voltage: 120 V • Frequency (Hz): 60 Hz • Power supply cable length: 39 3/8 "

OPTIONAL ACCESSORIES

SPEED LEVEL 1

Extraction rate: 211.5 CFM • Noise level: 54 dB(A) • Power: 216 W

SPEED 2

Extraction rate: 322 CFM • Noise level: 63 dB(A) • Power: 278 W

SPEED 3

Extraction rate: 453 CFM • Noise level: 70 dB(A) • Power: 363 W

SPEED LEVEL 4

Extraction rate: 584.5 CFM • Noise level: 75 dB(A) • Power: 485 W

INTENSIVE SPEED

LOGISTIC INFORMATION

Dimensions: 210x1217x445 • Width: 47 15/16 " • Depth: 17 1/2 " • Height: 8 1/4 " • Net weight: 32 lbs • Gross weight: 48 lbs

OPTIONAL

FLTK-1: Charcoal filter, Hoods

