


STU8642

Dishwashers, Universal, Fully-integrated built-in , 24", Number of place settings: 13, Silver, A+++



TYPE

Product family: Dishwashers • Commercial height: 86 cm • Number of place settings: 13 • Installation: Fully-integrated built-in • Width: 24" • Kitchen panel: Not supplied • EAN code: 8017709237134

AESTHETIC

Color: Silver • Aesthetic: Universal • Front panel color: Silver • Door: Galvanized • LED display color: White • Buttons color: Silver

PROGRAMS / FUNCTIONS

Number of programs: 5+5 quick programs • Soak: Yes • Express - 27 minutes: Yes • Glass: Yes • Daily: Yes • ECO Quick: Yes • Delicates - Quick: Yes • Normal - Quick: Yes • Auto: Yes • Automatic super wash: Yes • Strong and fast: Yes • Washing temperatures: 100, 113, 122, 150, 158 °F

OPTIONS

DryAssist option: Yes • Delay start: Up to 24 hours • FlexiZone half-load option: Yes • Express time option: Yes

BASKETS

N° baskets: 3, FlexiDuo • Basket color: Gray • Basket components finish: Gray • Handle: In plastic with stainless steel insert on upper and lower basket • Upper basket: Central fixed racks • Upper basket height adjustment: On 3 levels • Lower basket: With 2 foldable racks • Largest loadable dish in upper basket: 7 inches • Lower basket with anti-drip inserts: Yes • Largest loadable dish in lower basket: 13 3/4 inches • Cutlery basket: 13 place settings • Colour Inner Components: Blue

TECHNICAL FEATURES

Controls: Electronic • Display: Delay start, Program progress indicator, Time-to-end indicator • Door opening system: Yes • Display type: LED display (3 digits) • Salt indicator: Light • Rinse aid indicator: Light • End-of-cycle indicator: ActiveLight • Washing system: Planetarium • Drying system: Natural condenser drying, with EnerSave automatic door opening system at the end of the cycle • Engine: Single phase • Third spray arm: Single • Water softener: With electronic setting • Turbidity sensor Aquatest: Yes • Flood protection system: Total Aquastop • Water supply: Single; cold/hot water max. 140°F • Max water hardness: 100°FH;58°dH • Steam protection: Plastic • Internal lighting: White LED • Tub material: Stainless steel • Filter: Stainless steel • Concealed heating element: Yes • Min. and max plinth height: 50 - 215 mm • Min. and max. frontal panel weight: 4.4 - 22 lbs • Hinges: Self-balancing, Sliding, FLEXIFIT • Adjustable feet: 2 3/4", from 33 7/8" to 36 5/8" • Back feet adjustable from front: Yes • Adjustable plinth: By height and depth

PERFORMANCE / ENERGY LABEL

Energy efficiency class: A+++ • Cleaning performance: A • Noise level: 42 dB(A) re 1pW • Drying efficiency class: A • Energy consumption per cycle (kWh/cycle): 0.810 kWh • Water consumption per cycle (l/cycle): 9 gal • Annual energy consumption: 230 kWh/year • Annual water consumption: 2520 gal • Reference program: ECO • Energy consumption - stand by off mode: 0.02 W • Energy consumption - stand by on mode: 0.80 W • Duration of the stand by on mode (min): 5 min • Energy Star: Yes

ELECTRICAL CONNECTION

Connected power: 1800 W • Voltage: 115 V • Connection type: Single-phase • Frequency (Hz): 60 Hz • Power supply cable length: 55 "

LOGISTIC INFORMATION

Dimensions: 858x598x550

OPTIONAL

KIT86CXF: Panel, DishwashersKITPL60X: Toe kick, DishwashersKITPL60B: Toe kick, DishwashersKITPL60N: Toe kick, Dishwashers

